



ΕΛΛΗΝΙΚΗ ΔΗΜΟΚΡΑΤΙΑ
ΥΠΟΥΡΓΕΙΟ ΥΓΕΙΑΣ
ΕΘΝΙΚΟΣ ΟΡΓΑΝΙΣΜΟΣ ΦΑΡΜΑΚΩΝ
Μεσογείων 284, 155 62 Χολαργός
www.eof.gr

Διεύθυνση : Ελέγχου Παραγωγής
και Κυκλοφορίας Προϊόντων
Τμήμα : Επιθεωρήσεων
Πληροφορίες : Σ. Αρμάου
Τηλ. / Fax : + 30213 20 40 359/
+ 30210 65 49 500
Χολαργός, 03-03-2021
Αριθ. Πρωτ. : 4001/18-01-2021

ΠΙΣΤΟΠΟΙΗΤΙΚΟ

Πιστοποιούμε ότι όπως προκύπτει από τα στοιχεία της υπηρεσίας μας, το εργαστήριο παραγωγής ιατροτεχνολογικών προϊόντων «ΣΤΕΡΓΙΟΥΛΑΣ ΣΤΥΛΙΑΝΟΣ ΚΑΙ ΣΙΑ Ε.Ε.» που βρίσκεται στο 14^ο χλμ Εθνικής Οδού ΘΕΣΣΑΛΟΝΙΚΗΣ – ΠΟΛΥΓΥΡΟΥ, ΤΚ 57001 Θέρμη Θεσσαλονίκης (Τ.Θ. 60294), λειτουργεί νόμιμα και παρασκευάζει προϊόντα με την ακόλουθη μορφή:

- Ισότονο ή Υπέρτονο ρινικό διάλυμα θαλασσινού νερού

σύμφωνα με τους Κανόνες Καλής Παρασκευής που ισχύουν στη χώρα μας.

Το παραπάνω Εργοστάσιο επιθεωρείται σε τακτά χρονικά διαστήματα από τον Ε.Ο.Φ.

Η τελευταία επιθεώρηση πραγματοποιήθηκε στη 1-10-2015.

Το παρόν πιστοποιητικό χορηγείται για εξαγωγικούς σκοπούς.

Η Διευθύντρια

Π. Γκούρα



HELLENIC REPUBLIC
MINISTRY OF HEALTH
NATIONAL ORGANIZATION FOR MEDICINES
284 Mesogeion Ave., Holargos, 155 62, GREECE
www.eof.gr

Division of Control of production and Distribution
Department of Inspections

Information : S. Armaou
Tel / Fax : + 30213 20 40 359/
+ 30210 65 49 500

Holargos, 03-03-2021
Our Ref. : 4001/18-01-2021

CERTIFICATE

It is hereby certified that according to our records, "STERGIOULAS STYLIANOS & CO L.P.", located at 14th Km Thessalonikis - Poligiros N.R., P.C. 57001 Thermi Thessaloniki, Greece (P.O.Box 60294), has been granted a manufacturer's license by the National Organization for Medicines (E.O.F.) and manufactures Medical Devices in the following dosage forms:

- Isotonic or hypertonic seawater nasal solution

The granting of a manufacturer's license by EOF indicates that the manufacturer is following the Guidelines of Good Manufacturing Practice of our country.

It is also certified that the premises at which the products are manufactured, assembled and stored, are subject to regular Inspections by EOF.

Last inspection was conducted on 1st October 2015.

This certificate is for exporting purposes.

The Director

P. Goura

